

FilmGrade™ 12V Power Supply for Film & Photography

PN: 3091

FilmGrade™ 12V power supplies are 120-watt constant voltage devices capable of providing 10 amps of current. Designed specifically to power 12V versions of FilmGrade™ WHITE LED strips (PN: 3001), these power supply units plug into standard USA two-prong outlets and output 12V DC through a standard 2.1 x 5.5 mm barrel jack.

With a $\pm 2\%$ voltage tolerance and low ripple & noise, these power supplies are completely flicker-free and excellent choices for use on film, TV and broadcast sets as well as continuous output photography applications.

PRODUCT AND FEATURES

- Converts 100-240 V AC to 12V DC constant voltage
- Produces completely flicker-free electrical current
- UL Listed Class II (Double Insulated)
- Overcurrent and short circuit protection
- Durable, impact-resistant polycarbonate enclosure
- Outputs to standard 2.1 x 5.5 mm DC barrel jack
- Heavy-duty 16 AWG DC wire for reduced voltage drop
- Dimensions: 176 x 76 x 42 mm
- For indoor use only



ELECTRICAL SPECIFICATIONS

Input voltage:	100 - 240V AC, 50 - 60 Hz
Output voltage:	12.0V DC $\pm 2\%$
Output current (max):	10 A
Power (max):	120 W
DC cable wire gauge:	16 AWG
Overcurrent shutoff:	13.5 A
Power factor:	0.5

MECHANICAL SPECIFICATIONS

Length:	6.929 in (176 mm)
Width:	2.992 in (76 mm)
Height:	1.654 in (42 mm)
Weight:	21.6 oz (612 g)
AC cable length:	4 ft (1200 mm)
DC cable length:	4 ft (1200 mm)

PART NUMBERS AND ORDERING


12V:	3091
-------------	------

CERTIFICATIONS




EXAMPLE CONNECTION DIAGRAMS

CONNECTING TO A COMPLETE REEL WITH DC JACKS INTACT



CONNECTING TO A CUT OR PARTIAL REEL WITHOUT DC JACKS



Rev 2.0 / 04-14-2023 © 2023 Waveform Lighting, LLC. All rights reserved. Specifications subject to change without notice.